
Version: 2.0 Date: 3rd June 2024, First Issue Date: 27th February 2023





1. SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name 300M (-20µm)
Product code GMP 300M
Unique Formula Identifier (UFI) Not applicable
Nanoform Not applicable

1.2 Relevant identified uses of the substance or mixture

and uses advised against

Identified Use(s)

Additive manufacturing, hot isostatic pressing, thermal spray, metal injection

moulding, binder jetting.

Uses advised against Anything other than the above.

1.3 Details of the supplier of the safety data sheet

Company Identification Globus Metal Powders Ltd.

Telephone Materials Processing Institute, Eston Road, Middlesbrough, TS6 6US

Fax +44(0)164 238 2000

E-mail (competent person) gmp@globusmetalpowders.com

1.4 Emergency telephone number

Emergency Phone No. 999 / 111 (or local emergency number)

Language(s) spoken: English (or local language)

2. SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP)Skin Sens. 1: H317
Carc. 2; H351

STOT RE 2; H373

2.2 Label elements According to Regulation (EC) No. 1272/2008 (CLP)

Product name 300M Contains: Nickel

Hazard Pictogram(s)





Signal Word(s) WARNING

Hazard Statement(s) H317: May cause an allergic skin reaction.

H351: Suspected of causing cancer.

H373: May cause damage to organs through prolonged or repeated exposure.

Precautionary Statement(s) P260: Do not breathe dust.

P280: Wear eye protection/face protection.

P270: Do not eat, drink or smoke when using this product. P314: Get medical advice/attention if you feel unwell.

P261: Avoid breathing dust.

P302+P352: IF ON SKIN: Wash with plenty of water.

Supplemental information Not applicable

Version: 2.0 Date: 3rd June 2024, First Issue Date: 27th February 2023

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878



EXCELLENCE IN EVERY PARTICLE

2.3 Other hazards

Handling of this material may generate a dust which can cause mechanical irritation of the eyes, skin nose and throat.

May form combustible dust concentrations in air.

3. SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard Statement(s)
Nickel	1 - 2	7440-02-0	231-111-4	Not yet assigned in the supply chain	Skin Sens. 1; H317 Carc. 2; H351 STOT RE 1; H372 Aquatic Chronic 3; H412

Note: For full text of H phrases see section 16.

4. SECTION 4: First aid measures



4.1 Description of first aid measures

Self-protection of the first aider

inhalation

Skin contact

Eye contact

Ingestion

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

Obtain special instructions before use. No action should be taken involving personal risk. Use personal protective equipment as required. Wear appropriate personal protective equipment, avoid direct contact. Ensure adequate ventilation. Do not breathe dust. Avoid contact with skin and eyes.

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately.

IF ON SKIN: Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Remove contaminated clothing and wash clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.If irritation develops and persists, get medical attention.

IF SWALLOWED: Rinse mouth. Give plenty of water to drink. Do NOT induce vomiting. Seek medical treatment.

May cause an allergic skin reaction. Suspected of causing cancer. May cause

damage to organs through prolonged or repeated exposure.

Treat symptomatically.

5. SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media
Unsuitable extinguishing media

5.2 Special hazards arising from the substance or

5.3 Advice for firefighters

As appropriate for surrounding fire. Use CO2, dry chemical, or foam.

Do not use water jet. Direct water jet may spread the fire.

Not flammable. May form combustible dust concentrations in air. Combustion products:, Carbon monoxide, Carbon dioxide and Nickel carbonyl gas.

Fight fire with normal precautions from a reasonable distance. Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

Version: 2.0 Date: 3rd June 2024, First Issue Date: 27th February 2023





Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

6.	SECTION 6: Accidental release measures	
6.1	Personal precautions, protective equipment and emergency procedures	Caution - spillages may be slippery. Ensure operatives are trained to minimise exposures. No action should be taken involving personal risk. Wear appropriate personal protective equipment, avoid direct contact. Do not breathe dust. Ensure adequate ventilation. Remove contaminated clothing and wash all affected areas with plenty of water. Avoid dust generation.
6.2	Environmental precautions	Avoid release to the environment. Do not allow to enter drains, sewers or water courses.
6.3	Methods and material for containment and cleaning up	Provided it is safe to do so, isolate the source of the leak. Sweep spilled substances into containers if appropriate moisten first to prevent dusting. Use non-sparking equipment when picking up flammable spill. Collect mechanically and dispose of according to Section 13. Use non-sparking tools. Ventilate the area and wash spill site after material pick-up is complete.
6.4	Reference to other sections	See Section: 8,13.

7. SECTION 7: Handling and storage

7.1	Precautions for safe handling	When using do not eat or drink. Provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and wash clothing before reuse.
7.2	Conditions for safe storage, including any incompatibilities	Keep only in original packaging. Keep in a well ventilated place. Keep container closed.
	storage temperature	Store in a cool/low-temperature, well-ventilated (dry) place away from heat and ignition sources.
	Incompatible materials	Keep away from: acids and strong oxidising agents.
7.3	Specific end use(s)	See Section: 1.2.

8. SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.1.1 Occupational exposure limits

The UK HSE (EH40) recommends the following limits for dusts: 10 mg/m³ (8hr TWA) total inhalable dust; 4 mg/m³ (8hr TWA) total respirable dust.


SUBSTANCE	CAS No.	LTEL (8 hr	LTEL (8 hr	STEL (ppm)	STEL	Note
		TWA ppm)	TWA mg/m³)		(mg/m³)	
Nickel	7440-02-0	-	0.5	-	-	UK WEL
Copper and compounds; dust and mists	-	0.2	-	-	-	UK WEL
						UK WEL
		-	0.2	-	-	Inhalable
Manganese	7439-96-5	-	0.05	-	-	fraction
						Respirabl
						e fraction
						UK WEL
			10		10	Inhalable
Silicon	7440-21-3	-	4	10	4	fraction
				4		Respirabl
						e fraction

Source: WEL: Workplace Exposure Limit (UK HSE EH40).

8.1.2 Biological Limit Value

Not established.

Version: 2.0 Date: 3rd June 2024, First Issue Date: 27th February 2023





EXCELLENCE IN EVERY PARTICLE

PNECs and DNELs 8.1.3

Not established.

8.2 **Exposure controls**

8.2.1 Appropriate engineering controls Provide adequate ventilation, including appropriate local extraction if dusts, fumes or vapours are likely to be evolved. Do not breathe dust. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Individual protection measures, such as personal 8.2.2 protective equipment

Obtain special instructions before use. Keep good industrial hygiene. Wear appropriate personal protective equipment, avoid direct contact. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke at the work place. Do not breathe dust.

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Eye / face protection



Wear eye protection with side protection (EN166). Eyewash bottles should be available.

Skin protection



Hand protection: Wear impervious gloves (EN374). Gloves should be changed regularly to avoid permeation problems. Breakthrough time of the glove material: refer to the information provided by the gloves' producer. Protective index 6, corresponding > 480 minutes of permeation time according to EN 374.

Body protection: Wear dust-resistant protective clothing.

Respiratory protection



Not normally required. Wear suitable respiratory protective equipment if processing involves working in areas where dusts or vapours are likely to be evolved. In case of inadequate ventilation wear respiratory protection. Recommended: EN143 Type A-P2.

Thermal hazards not applicable

8.2.3 **Environmental exposure controls** Avoid release to the environment.

9. **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Physical state Solid Colour Grey Odour Odourless

Melting point/freezing point No information available. Boiling point or initial boiling point and boiling range No information available.

Flammability

Lower and upper explosion limit Not applicable Flash point Not applicable Auto-ignition temperature Combustible Dust

> Minimum ignition energy - > 1000 mJ Minimum ignition temperature - >800°C

Layer ignition temperature - >400°C (BS EN 50281-2-1)

Decomposition temperature Not applicable

No information available.

Kinematic viscosity Not applicable

Solubility No information available.

Not flammable

Version: 2.0 Date: 3rd June 2024, First Issue Date: 27th February 2023



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

Partition coefficient: n-octanol/water (log value) Not applicable Vapour pressure Not applicable Density and/or relative density 7.87 g/cm³ Relative vapour density Not applicable Particle characteristics -20µm

9.2 Other information

> Moisture content 0.11 % w/w

Explosive properties May form combustible dust concentrations in air.

10. SECTION 10: Stability and reactivity

10.1 Stable under normal conditions. Reactivity 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions Hazardous polymerisation will not occur. May form combustible dust

concentrations in air.

10.4 Conditions to avoid Hydrogen gas can be liberated when nickel or its alloys react with acids. In

reduced atmospheres nickel can react with carbon monoxide to form Ni(CO)4,

which is an extremely toxic gas.

10.5 Incompatible materials Keep away from: acids and strong oxidising agents.

Combustion products:, Carbon monoxide, Carbon dioxide and Nickel carbonyl 10.6 Hazardous decomposition products

11. **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in

Regulation (EC) No 1272/2008 Acute toxicity - Ingestion

Mixture: Based upon the available data, the classification criteria are not met.

Calculated acute toxicity estimate (ATE) >2,000 mg/kg.

Acute toxicity - inhalation Mixture: Based upon the available data, the classification criteria are not met.

Calculated acute toxicity estimate (ATE) > 5 mg/L (Dust)

Acute toxicity - Skin contact Mixture: Based upon the available data, the classification criteria are not met.

Calculated acute toxicity estimate (ATE) >2,000 mg/kg.

Mixture: Based upon the available data, the classification criteria are not met. Skin corrosion/irritation Serious eye damage/irritation Mixture: Based upon the available data, the classification criteria are not met. Respiratory or skin sensitisation Mixture: Skin Sens. 1; H317: May cause an allergic skin reaction.

Nickel Skin Sens. 1; H317: May cause an allergic skin reaction.

EU Harmonised Classification

EU ECHA Registration Endpoint summary

Skin sensitisation - Adverse effects observed (NiPERA Report, 2010)

Mixture: Based upon the available data, the classification criteria are not met.

Mixture: Carc. 2; H351: Suspected of causing cancer.

Nickel Carc. 2; H351: Suspected of causing cancer.

EU Harmonised Classification

EU ECHA Registration Endpoint summary

Reproductive toxicity Mixture: Based upon the available data, the classification criteria are not met. STOT - single exposure Mixture: Based upon the available data, the classification criteria are not met. STOT - repeated exposure

Mixture: STOT RE 2; H373: May cause damage to organs through prolonged or

repeated exposure.

Nickel STOT RE 1; H372: Causes damage to organs through prolonged or repeated

exposure.

EU Harmonised Classification

oral: NOAEL - 2.2 mg/kg/bw day (rat) (Unnamed publication, 2007)

inhalation: LOAEC - 0.1mg/m3 (rat) (OECD 451)

dermal: No data

Mixture: Based upon the available data, the classification criteria are not met. Aspiration hazard Acute toxicity - Ingestion Mixture: Based upon the available data, the classification criteria are not met.

Calculated acute toxicity estimate (ATE) >2,000 mg/kg.

Germ cell mutagenicity

Carcinogenicity

11.2.1

13.2

Version: 2.0 Date: 3rd June 2024, First Issue Date: 27th February 2023

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878



11.2 Information on other hazards

11.2.2 Other information None known.

12. SECTION 12: Ecological information

Endocrine disrupting properties

12.1 Toxicity Mixture: Aquatic Chronic 3; H412: Harmful to aquatic life with long lasting effects.

estimated LC50 (Mixture): >10 - ≤ 100 mg/l

Does not cause endocrine disruption.

Nickel Aquatic Chronic 3; H412: Harmful to aquatic life with long lasting effects.

EU Harmonised Classification NOEC: 0.057 ug/L (Birge et al. 1984)

12.2 Persistence and degradability No data for the mixture as a whole.

Nickel Not applicable for inorganic substances.

12.3 Bioaccumulative potential No data for the mixture as a whole.

Nickel Low bioaccumulation potential. BCF: 45 (Alikhan et al. 1989)

12.4 Mobility in soil No data for the mixture as a whole.

Nickel The product is predicted to have high mobility in soil.

Log Kp: 4.51 (Elbaz-Poulichet et al. 1996)

12.5 Results of PBT and vPvB assessment
 12.6 Endocrine disrupting properties
 Not classified as PBT or vPvB.
 Does not cause endocrine disruption.

12.7 Other adverse effects None known.

13. SECTION 13: Disposal considerations

13.1 Waste treatment methods Do not allow to enter drains, sewers or watercourses. Dispose of this material

and its container as hazardous waste Disposal should be in accordance with

local, state or national legislation.

Avoid release to the environment.

14. SECTION 14: Transport information

Additional information

Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods'.

		ADR/RID	IMDG	IATA/ICAO
14.1	UN number or ID number	None assigned	None assigned	None assigned
14.2	UN proper shipping name	None assigned	None assigned	None assigned
14.3	Transport hazard class(es)	None assigned	None assigned	None assigned
14.4	Packing group	None assigned	None assigned	None assigned
14.5	Environmental hazards	Not classified	Not classified as a Marine Pollutant.	Not classified
14.6	Special precautions for user	See Section: 2		
14.7	Maritime transport in bulk according to IMO instruments	No information available.	No information available.	No information available.
14.8	Additional information	None	None	None

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental

regulations/legislation specific for the substance or

mixture

15.1.1 EU regulations

Authorisations and/or restrictions on use Not restricted

15.1.2 National regulations

Germany Water hazard class: 2

15.2 Chemical Safety Assessment A REACH chemical safety assessment has not been carried out. Exposure

scenarios for substances in this preparation are not available.

Version: 2.0 Date: 3rd June 2024, First Issue Date: 27th February 2023

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878



16. SECTION 16: Other information

The following sections contain revisions or new statements: Not applicable - V1.0

References

EU Harmonised Classification and EU ECHA registration dossier for Nickel (CAS No. 7440-02-0)

Test Result, Report Number: R 002912R3V1RS, Sigma-HSE (UK) Ltd (2022).

EU Classification: This Safety Data Sheet was prepared in accordance with EC Regulation (EC) 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification procedure
Skin Sens. 1; H317	Threshold Calculation
Carc. 2; H351	Threshold Calculation
STOT RE 2; H373	Threshold Calculation

Legend

ADR ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

BCF Bioconcentration Factor

CAS CAS: Chemical Abstracts Service

DNEL Derived no effect level
EC EC: European Community
EN European Standard
EU European Union

IATA: International Air Transport Association

ICAO/IATA ICAO: International Civil Aviation Organization / IATA: International Air Transport Association

IMDG IMDG: International Maritime Dangerous Goods

LC50 Lethal concentration 50

LD50 Lethal dose 50

LIT Layer Ignition Temperature

LOAEC Lowest Observed Adverse Effect Concentration

LTEL Long term exposure limit

MIE Minimum Ignition Energy

MIT Minimum Ignition Temperature

NOEC No Observed Effect Concentration

NOAEL No Observed Adverse Effect Level

OECD Organisation for Economic Cooperation and Development

PBT PBT: Persistent, Bioaccumulative and Toxic

PNEC Predicted No Effect Concentration

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL Short term exposure limit TWA Time Weighted Average

UN United Nations

vPvB very Persistent and very Bioaccumulative

WGK Wassergefährdungsklasse (Germany) / water hazard class

Hazard classification / Classification code:

Skin Sens. 1; Skin Sensitisation, Category 1 Carc. 2; Carcinogenicity, Category 2

STOT RE 1; Specific target organ toxicity — repeated exposure,

Category 1

STOT RE 2; Specific target organ toxicity — repeated exposure,

Category 2

Aquatic Chronic 2; Hazardous to the aquatic environment, Chronic,

Category 2

Aguatic Chronic 3; Hazardous to the aquatic environment, Chronic,

Category 3

Hazard Statement(s)

H317: May cause an allergic skin reaction.

H351: Suspected of causing cancer.

H372: Causes damage to organs through prolonged or repeated

exposure.

H373: May cause damage to organs through prolonged or repeated

exposure.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Version: 2.0 Date: 3rd June 2024, First Issue Date: 27th February 2023

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878



Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Globus Metal Powders Ltd. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Globus Metal Powders Ltd. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Page: 8 of 8